| Ref # | Hits | Search Query | DBs | Defa ult Oper | Plurals | Time Stamp |
|----------|------|---|--|---------------------|---------|------------------|
| S1 | 43 | (J2ME and Corba) and (mobile same API) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ator OR | OFF | 2010/10/20 11:28 |
| S2 | 64 | (J2ME and SMS) and JVM | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:29 |
| \$3 | 119 | (corba ORB) and JVM and (wireles mobile) with (network gateway service server GSM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:30 |
| S4 | 41 | (MIDlet) and JVM and (wireles mobile) same (API SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:31 |
| S5 | 2 | (MIDlet) and corba and (wireles mobile) same (API SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:31 |
| S6 | 6 | (MIDlet) and corba and (wireles mobile) and (API SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:31 |
| S7 | 3 | (MIDlet) and corba and (J2ME) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:32 |

| | | • | • | - | | |
|-----|----|---|--|----|-----|------------------|
| S8 | 21 | (S4 S5 S6 S7) and (S1 S2 S3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:32 |
| S9 | 6 | S8 and @rlad< "20030625" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:34 |
| S10 | 19 | (Corba ORB COM) and (SMS JVM) and ((mobile API "method call") same (configuration near4 parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:36 |
| S11 | 0 | S10 and (S1 S2 S3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:36 |
| S12 | 0 | (S4 S5 S6 S7) and S10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:36 |
| S13 | 0 | (S4 S5 S6 S7 S1 S2 S3) and ((mobile and API "method call") same (configuration near4 parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:37 |
| S14 | 0 | (S4 S5 S6 S7 S1 S2 S3) and ((JVM and API "method call") same (configuration near4 parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:37 |

| S15 | 3 | (S4 S5 S6 S7 S1 S2 S3) and ((JVM and API "method call") and (configuration near4 parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:38 |
|-----|-----|---|--|----|-----|------------------|
| S16 | 11 | S10 and @rlad<"20030625" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:41 |
| S17 | 1 | (JVM (virtual near machine)) and ((stub and (message gateway ORB Corba)) same (configuration near4 parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:49 |
| S18 | 119 | (corba ORB) and JVM and (wireles mobile) with (network gateway service server GSM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:55 |
| S19 | 0 | (JVM (virtual machine)) and S18 and (stub same (configuration near4 parameter)) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:55 |
| S20 | 0 | (JVM (virtual near2 machine)) and S18 and (((method remote\$4) near4 call) same (configuration near4 parameter)) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:56 |
| S21 | 43 | (J2ME and Corba) and (mobile same API) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:57 |

| | | • | • | • | | |
|------|-----|---|--|----|-----|------------------|
| S22 | 64 | (J2ME and SMS) and JVM | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:57 |
| S23 | 41 | (MIDlet) and JVM and (wireles mobile) same (API SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:57 |
| S24 | 0 | (JVM (virtual near2 machine)) and (S21 S22 S23) and (((method remote\$4) near4 call) same (configuration near4 parameter)) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:57 |
| S25 | 0 | mobile and (((method remote\$4) near4 call) same (configuration near4 parameter)) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:57 |
| S26 | 0 | mobile and (((method remote\$4) near4 call) same (stub near4 parameter)) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:57 |
| \$27 | 301 | mobile and (((method remote\$4) near4 call) same parameter) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:58 |
| \$28 | 2 | (MIDlet) and corba and (wireles mobile) same (API SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:58 |

| S29 | 6 | (MIDlet) and corba and (wireles mobile) and (API SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:58 |
|------|----|---|--|----|-----|------------------|
| \$30 | 3 | (MIDlet) and corba and (J2ME) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:58 |
| \$31 | 13 | (S23 S28 S29 S30 S21 S22 S18) and S27 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 11:58 |
| S32 | 12 | ("20030041125" "20020184536" "20020181501" "20030093501" "20040023689" "6553428").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:25 |
| S33 | 0 | Nokia and ("IMLet" MIDlet) and (gateway same (API RMI stub)) and J2ME and ORB | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:42 |
| S34 | 3 | (mobile PDA) and ("IMLet" MIDlet) and (gateway same (API RMI stub)) and J2ME and ORB | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:42 |
| \$35 | 3 | ("IMLet" MIDlet) and (gateway same (API RMI stub)) and ORB | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:44 |

| | | • | ` ` | • | | |
|------|-----|--|--|----|-----|------------------|
| S36 | 3 | (RMS J2ME SMS) and (gateway same (API RMI stub (remote near4 invocation))) and ORB and (Corba same gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:48 |
| \$37 | 1 | (RMS J2ME SMS) and (gateway same (API RMI stub (remote near4 invocation))) and JVM and (Corba same gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:48 |
| S38 | 3 | (RMS J2ME SMS) and (gateway same (API RMI stub (remote near4 invocation))) and (servlet bean J2EE) and (Corba same gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 14:49 |
| S39 | 342 | (J2ME JINI) and (Corba and gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:50 |
| S40 | 0 | (service near8 request) and J2ME same (JINI and (Corba ORB gateway)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:51 |
| S41 | 57 | (service near8 request) and J2ME and (JINI and (Corba ORB gateway)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:51 |
| S42 | 42 | S39 and S41 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:51 |

| S43 | 38 | (RMI JVM J2EE) and (bean servlet MIDlet MIDP) and S42 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:52 |
|-----|-----|--|--|----|-----|------------------|
| S44 | 38 | S43 and (mobile wireless PDA GSM) and gateway | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:54 |
| S45 | 32 | S44 and (JINI same (ORB Corba)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 15:56 |
| S46 | 0 | S45 not (Saulpaugh Slaughter).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:05 |
| S47 | 10 | S42 not S45 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:06 |
| S48 | 160 | Nokia.as. and download\$4 same (gateway API) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:17 |
| S49 | 1 | S48 and (download\$4 same (gateway and API)) and (MIDlet IMlet applet bean) and (GSM J2ME RMI) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:19 |

| | | • | • | • | | |
|-----|----|--|--|----|-----|------------------|
| S50 | 9 | S48 and (download\$4 same (gateway and API)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:19 |
| S51 | 16 | S48 and (Java JVM servlet) and (MIDlet IMlet applet bean) and (GSM J2ME RMI) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:20 |
| S52 | 1 | S50 and S51 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:20 |
| S53 | 1 | (J2ME and MIDlet) and (download\$4 same (gateway and API)) and ((GSM RMI) and (Corba ORB)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:23 |
| S54 | 44 | mobile and (download\$4 same (gateway and API)) and ((GSM RMI) and (Corba ORB)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:23 |
| S55 | 44 | S54 not Nokia.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:23 |
| S56 | 27 | (GSM SMS RMS) and (download\$4 same (gateway and API)) and ((Corba ORB) same (remote call invocation)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:25 |

| S57 | 27 | S55 and S56 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:25 |
|-----|-----|--|--|----|-----|------------------|
| S58 | 33 | S55 not (Huttunen Shenfield).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:41 |
| S59 | 28 | S58 not Zhang.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:42 |
| S60 | 3 | S59 not Bowman.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:42 |
| S61 | 661 | (J2ME GSM) and (download\$3 with gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:46 |
| S62 | 33 | S61 and (Java JVM servlet) and (MIDlet IMlet applet bean) and (parameter same (stub proxy invocation service request message)) and Corba | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:47 |
| S63 | 33 | S62 not Nokia.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:48 |

| S64 | 1 | S63 not Bowman.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:48 |
|-----|----|--|--|----|-----|------------------|
| S65 | 2 | "7356832".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:49 |
| S66 | 1 | S65 and (download\$3 with gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:50 |
| S67 | 33 | (gateway with ((application near interface) API)) and (GSM and Corba) and (download\$3 with gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:52 |
| S68 | 1 | S67 not Bowman.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:52 |
| S69 | 45 | (gateway with ((application near interface) API)) and (ORB Corba) and (download\$3 with gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:53 |
| S70 | 13 | S69 not Bowman.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/20 16:53 |

| S71 | 49 | (JVM (virtual near machine)) and ((stub RMI proxy JINI message) same (gateway ORB Corba)) and (((configuration API method invocation) near6 (parameter argument)) same (remote call request)) and ((mobile GSM PSTN) same gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:01 |
|-----|----|--|--|----|-----|------------------|
| S72 | 24 | S71 not Bowman.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:02 |
| S73 | 1 | S72 and Nokia.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:02 |
| S74 | 0 | S72 and (Microsystems).as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:03 |
| S75 | 0 | S72 and (BellSouth).as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:03 |
| S76 | 1 | S72 not S73 and J2ME | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:04 |
| S77 | 3 | S72 not S73 and CORBA and gateway | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:07 |

| S78 | 1 | "20010046862".pn. and CORBA and gateway | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:10 |
|------|-----|--|--|----|-----|------------------|
| S79 | 1 | J2ME and (M2M same download\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:20 |
| \$80 | 6 | J2ME and (M2M and download\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:20 |
| \$81 | 293 | (GSM near4 controller) same (GPRS SMS Java API antenna) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:30 |
| S82 | 0 | S81 and CORBA and (gateway J2ME) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:31 |
| \$83 | 0 | S81 and ORB and (gateway J2ME) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:31 |
| S84 | 192 | (GSM near4 controller) with (GPRS SMS Java API antenna) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:31 |

| S85 | 192 | S81 and S84 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:31 |
|------|-----|--|--|----|-----|------------------|
| S86 | 1 | S85 and (((configuration API method invocation) near6 (parameter argument)) same (remote call request)) and ((mobile GSM PSTN) same gateway) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:32 |
| S87 | 1 | S85 and Machine-to-Machine | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:32 |
| S88 | 2 | S84 and M2M | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:33 |
| S89 | 73 | S81 and (GSM near3 module) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:34 |
| \$90 | 1 | S81 and (CORBA COM ORB) and (gateway J2ME JVM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 08:34 |
| S91 | 12 | ("5953328" "6104929" "6128348" "6615269" "6621793" "6728208" "6813638" "6937566" "6956832" "7027417" "7054268" "7310671").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:36 |
| S92 | 0 | S91 and gateway and (Java bean MIDlet servlet JINI) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:37 |
| S93 | 0 | S91 and message and (Java bean MIDlet servlet JINI) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:37 |

| S94 | 0 | S91 and (CORBA JINI) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:37 |
|----------|------|---|--|----|-----|------------------|
| S95 | 1022 | (mobile GSM) with (controller gateway) and (Corba JINI J2ME) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:38 |
| S96 | 0 | S95 and (Corba and (JINI J2ME)) and RS232 | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:39 |
| S97 | 60 | S95 and (Corba and (JINI J2ME)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:39 |
| S98 | 4 | S97 and API and (bean servlet MIDlet IMlet) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:39 |
| S99 | 0 | M2M near archit\$4 | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:45 |
| S10 0 | 1 | M2M near (controller module application methodology development) same (J2ME Java API) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:46 |
| S10 1 | 30 | M2M near2 (controller module application methodology development) and (SMS GSM GPRS) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:47 |
| S10 2 | 5 | ("20040030601" "6078826" "6275695" "6393285" "6584331").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 08:51 |
| S10 3 | 168 | (SIM near3 card) and (API J2ME) and (middleware ORB Corba) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 10:59 |
| S10 4 | 16 | S103 and (Java JVM servlet) and (MIDlet IMlet applet bean) and (GSM J2ME RMI SMS PSTN) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 10:59 |
| S10 6 | 47 | (M2M and (SIM adj card)) and (Java J2EE GSM Corba) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 11:06 |

| S10 7 | 1 | (M2M and (SIM adj card)) and (GSM near4 controller) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 11:11 |
|----------|----|--|--|----|-----|------------------|
| S10 8 | 9 | ("20030145205" "20040042604" "20040180657" "20050064862" "6097967" "6104928" "6282412" "6324402" "6671522").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 11:19 |
| S10 9 | 7 | S108 and ("SIM" with (facility module card download\$3 circuit\$3)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 11:20 |
| S11 0 | 1 | S109 and (Machine-to-Machine M2M (GSM near3 (gateway controller))) | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/10/21 11:21 |
| S11 1 | 16 | (US-20030233465-\$ or US-20030120593-\$ or US-20010046862-\$ or US-20020181501-\$).did. or (US-7152229-\$ or US-7426721-\$ or US-7412518-\$ or US-7398533-\$ or US-6981263-\$ or US-7676786-\$ or US-7103644-\$ or US-6542908-\$ or US-6850979-\$ or US-6606744-\$ or US-6324402-\$).did. | US-PGPUB; USPAT | OR | OFF | 2010/10/21 11:56 |
| S11 2 | 5 | S111 and Corba and ((virtual near machine) JVM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 11:57 |
| S11 3 | 5 | S112 and ((Corba middleware ORB) same ((virtual near machine) JVM)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 11:57 |
| S11 4 | 16 | (US-20030233465-\$ or US-20030120593-\$ or US-20010046862-\$ or US-20020181501-\$).did. or (US-7152229-\$ or US-7426721-\$ or US-7412518-\$ or US-7398533-\$ or US-6981263-\$ or US-7676786-\$ or US-7103644-\$ or US-6542908-\$ or US-6850979-\$ or US-6606744-\$ or US-7324496-\$ or US-6324402-\$).did. | US-PGPUB; USPAT | OR | OFF | 2010/10/21 13:39 |

| S11 5 | 6 | S114 and J2ME | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 13:40 |
|----------|---|--|--|----|-----|------------------|
| S11 6 | 5 | S115 and (wireless PDA mobile GSM) and gateway | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 13:40 |
| S11 7 | 0 | S116 and M2M | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 13:45 |
| S11 8 | 0 | S116 and Machine-to-Machine | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 13:45 |
| S11 9 | 1 | S115 not S116 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 13:46 |
| S12 0 | 1 | S116 and (ORB Corba and SMS) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 13:46 |
| S12 1 | 0 | S114 and (ORB Corba GSM SMS) and (OTA "Off-the-Air") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:06 |

| S12 2 | 202 | (J2EE MIDP) and (ORB Corba GSM SMS) and (OTA "Off-the-Air") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:07 |
|----------|-----|---|--|----|-----|------------------|
| S12 3 | 0 | S122 and mobile and (((method remote\$4) near4 call) same parameter) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:07 |
| S12 4 | 80 | S122 and mobile and (paramater "SIM card") and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:08 |
| S12 5 | 1 | S124 and (receiv\$4 download\$4 distribut\$4 broadcas\$3) with (OTA "Off-the-Air") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:09 |
| S12 6 | 55 | S122 and (receiv\$4 download\$4 distribut\$4 broadcas\$3) with (OTA "Off-the-Air") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:11 |
| S12 7 | 1 | S126 and mobile and (paramater "SIM card") and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:11 |
| S12 8 | 1 | S126 and mobile and (parameter "SIM card") and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:11 |

| S12 9 | 1 | S126 and mobile and (parameter "SIM card" J2ME MIDP) and (ORB Corba middleware COM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:12 |
|----------|-----|---|--|----|-----|------------------|
| S13 0 | 579 | GSM and (receiv\$4 download\$4 distribut\$4 broadcas\$3) with (OTA "Off-the-Air") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:12 |
| S13 | 44 | S130 and (ORB Corba GSM SMS) and (JINI RMI EJB Midlet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:13 |
| S13 2 | 32 | S131 and (wireless PDA mobile GSM) and gateway | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:13 |
| S13 3 | 8 | S131 and (profile near5 mobile) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/10/21 15:14 |

EAST Search History (Interference)

| <this empty="" history="" is="" search=""></this> | | |
|---|--|--|
| < This search history is empty> | | |